Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



AND WINTER-FLOWERING BULBS AUTUMN

CROCUS SPECIES, COLCHICUMS, HARDY CYCLAMEN, STERNBERGIAS, ETC. Also Early Hyacinths, Polyanthus Narcissi, Freesias and Lachenalias for forcing.

CROCUS SPECIES

Autumn, Winter and Early Spring-Flowering.

No Rock or Alpine Garden is complete without these Crocus species, which give a continuous display of bloom from August to March, their bright colours in winter lighting up the garden when few other plants are showing bloom. Many of them are beautiful and rare species, which cannot fail to be acceptable to all lovers of hardy flowers. In the Rock and Alpine Garden, on grassy banks, and naturalized in grass they form a charming picture, while in the Alpine house they are greatly prized. The delightful effect produced by masses of C. speciosus, C. longiflorus, C. Salzmanni, C. Tommasinianus, &c., naturalized in the flower garden or in grass, can only be realized by those who have witnessed it. In nomenclature we have followed Mr. George Maw's Monograph on the Crock. Cultural Directions.—Any ordinary garden soil is suitable, but for the rarer species we recommend the addition of a little well-decayed leaf soil, and surrounding the bulbs with sharp sand. The rarer species are most at home in little pockets in the rock garden, facing south-west or west, where they are protected from ground winds and from the early morning sun in winter. Plant the bulbs as early as possible, covering them with not more than one to two inches of soil.

Coloured Plates of Crocus Species.—Complete set of 70 Coloured Plates contained in "Maw's Monograph of the Genus Crocus," drawn and hand-coloured by the late George Maw, F.L.S., including Coloured Map, showing geographical distribution and diagrams of latitude and longitude of the habitats of all known species. Plates and Map loose in cloth bound case, £4 4s. 0d.

AUTUMN-FLOWERING CROCUS SPECIES AND VARIETIES.

Very attractive in flower borders, and charming in the rock garden and grass. Grown in pots indoors or planted out in cold frames, or in pockets on rockwork as advised above, they are very beautiful. The earlier-flowering varieties commence to bloom in August, while the later flowering varieties maintain a succession of bloom until the winter species begin to flower in December. Plant in July or August. We have indicated by a bracket number the relative time of flowering, thus (1) indicates the earliest to bloom, (6) the latest.

BARR & SONS SELECTIONS. 3 each of 18 Autumn-flowering Crocus ... 25/-

| 3 each of 12 Autumn-flowering Crocus | | 13/6 | 3 each of 12 Autumn-flowering Crocus Choice | er S | orts | 21 | /- |
|--|------|-------|--|------|------|-----|----|
| Per | doz. | Each | r | er c | loz. | Eac | ch |
| asturicus (3), a species from the Asturias s. | d. | s. d. | pulchellus (2), lavender-blue with white anthers | s. | d. | s. | d. |
| Mountains, flowers pale mauve to purple-lilac, | | | and orange-banded throat; a lovely species | | | | |
| with darker stripes at base 7 | 6 | 0 8 | found growing in the heathy thickets border- | 0 | | | 0 |
| cancellatus albus (3), ranging in habitat from the | | | ing the Bosphorus | 8 | 6 | 0 | 9 |
| Ionian Isles to North-west Persia, and | | | Salzmanni (5), a native of Tangier; flowers silvery | | | | |
| from Northern Palestine to Armenia; | | , , | lilac, shaded and feathered on outer | | | | |
| large sating white flowers 12 | 6 | 1 3 | petals dark lilac, with bronze towards | 9 | c | 0 | 4 |
| ,, cilicicus (4), flowers lilac, veined purple at | e | 0 9 | base; prefers a moist soil. per 100, 25/- | 3 | U | 0 | 4 |
| and the same of th | U | | ,, erectophyllus (4), soft clear purple-lilac | | | | |
| hadriaticus (4), native of the Ionian Isles, Albania, and the Morea Peninsular, | | | flowers with orange stigmata, a hand- some free-flowering variety, per 100, 28/- | 3 | 9 | 0 | 1 |
| flowers large and showy, pure white | | | sativus (The Saffron Crocus) (6), habitat Italy | · · | 0 | | 2 |
| with scarlet stigmata 8 | 6 | 0 9 | to Kurdistan, large purplish lilac | | | | |
| ,, chrysobelonicus (4), a very pretty variety, | | | flowers, feathered violet, with long | | | | |
| flowers sating white, with bronze or | | | blood-red stigmata and purple base, | | | | |
| violet markings at base of petals and | | | slightly scented. (Flowering freely | | | | |
| orange stigmata 10 | 6 | 1 0 | when established) per 100, 12/6 | 1 | 9 | 0 | 2 |
| ,, lilacinus (6), flowers silvery lilac to deeper | | | ,, Elwesii (6), long delicate lilac-coloured | | | | |
| lilac, with violet and bronze base, | 6 | 0 9 | flowers, with pale grey-blue markings | _ | | _ | 0 |
| timout jones, originate services | U | | at base and showy scarlet stigmata | 5 | 6 | 0 | 6 |
| iridiflorus (syn. byzantinus) (5), a native of Hungary, Western Transylvania, and the | | | ,, Pallasii of Patras (6), globular pale silvery | | | | |
| Banat; large rich purple outer segments, inner | | | lilac flowers, faintly veined, with | | | | |
| segments pale lilac, much branched lilac | | | yellow base and scarlet stigmata, a fine variety per 100, 30/- | 4 | 0 | 0 | 5 |
| stigmata, very distinct and handsome 9 | 6 | 0 10 | ,, Seedlings, pale lilac and lilac with dark | - | V | | |
| longiflorus (syn. odorus) (4), native of South Italy, | | | feathering, etc., all very beautiful | | - | | - |
| Sicily, and Malta; charming soft lilac | | | per 100, 28/- | 3 | 9 | 0 | 4 |
| flowers with brilliant scarlet stigmata, | e | 0 6 | speciosus (2), bright violet-blue flowers, prettily | | | | |
| delicately scented per 100, 42/- 5 | О | 0 6 | veined, with orange-red anthers, and yellow | | | | |
| ,, melitensis (4), lilac, with variable amount of deeper feathering at base, anthers | | | throat, handsome and showy; one of the most | | | | |
| yellow, stigmata orange-red, violet- | | | beautiful Autumn Crocuses for planting in | | | | |
| scented 9 | 6 | 0 10 | grass and massing in borders or in the rock garden; habitat Northern Persia, Asia Minor, | | | | |
| marathonisius, see niveus. | | | the Caucasus, and Crimea. Award of Garden | | | | |
| medius (3), a fine species from the neighbourhood | | | Merit, R.H.S. per 100, 10/6 | 1 | 6 | 0 | 2 |
| of Mentone and Spezzia; flowers lovely rich | | | speciosus Aitchisonii (3), very large long handsome | | | | |
| violet, with handsome purple veining at base, | | | flowers with sharply tapering petals, | | | | |
| stigmata rich glowing orange-red; one of the | e | 0 0 | china-blue, prettily feathered a darker | | | | |
| International Control of the Control | 6 | 0 9 | shade with silvery flush on outer petals | | | | |
| niveus (syn. marathonisius of Heldreich) (5), | | | per 100, 17/6 | 2 | | 0 | |
| producing very large snowy white flowers in November, rare and beautiful 12 | 6 | 1 3 | ,, | 10 | 6 | 1 | 0 |
| November, rate and beautiful | | | Tournefortii (6), a charming species found grow- | | | | |
| nudiflorus (4), flowers rich clear purple, a native of the Asturias Mountains, Pyrenees, the | | | ing on several of the islands in the Greek | | | | |
| Landes, and Cévennes, &c., and at one time | | j | Archipelago, flowers a beautiful clear silvery | | | | |
| naturalized in the Midland counties of England | | | lilac, with long scarlet stigmata, white anthers and a soft primrose throat per 100, 42/- | 5 | 6 | 0 | 6 |
| per 100, 42/- 5 | 6 | 0 6 | - | | Ŭ | , | Ū |
| ochroleucus (6), bearing dainty creamy white | | | zonatus (1), rose-lilac, centre yellow with orange zone, very beautiful; from the mountains of | | | | |
| flowers with bright orange base and white | 0 | 0 6 | Cilicia per 100, 12/6 | 1 | 9 | 0 | 2 |
| anthers; a native of the Lebanon, per 100 35/- 5 | U | 0 6 | Officia per 100, 12/0 | | | , | |

CROCUS.-WINTER-FLOWERING SPECIES AND VARIETIES.

These Winter-flowering Crocuses succeed the Autumn-flowering species, and weather permitting, are decorative from December to February. They are very beautiful in the rock garden, grown in cold frames or in pans in the Alpine House. Plant from August to October. We have indicated the relative times of flowering by a bracket number after each sort; thus those marked (1) are the first in this section to flower, and those marked (4) the latest.

| 3 each of 8 Winter-f Per doz. | | Crocus (our selection) 15/ | er de | 07 | Eac | ch |
|--|-------|--|-------|----|-------|----|
| aerius Grey Lady (2), a pretty seedling variety, s. d. | s. d. | | s. d | | 5. (| |
| outer petals heavily shaded deep silvery lilac | 3 | clear yellow to primrose and white, stained and | | • | • • • | |
| on a white ground with bronze base, inner | | | 9 | 6 | 0. | 10 |
| petals silvery white, centre deep gold, anthers | 1 | dalmaticus (var. C. of Bowles) (3), flowers of | | | | |
| yellow, stigmata scarlet 18 6 | 1 9 | good size, outer petals pale silvery lavender | | | | |
| ancyrensis (1), the Angora Crocus, flowers bright | _ | with bronze base, inner petals silvery lilac | | | | |
| orange-yellow 10 6 | 1 0 | with old-gold centre, anthers yellow, stigmata | | | | |
| aureus var. mæsiacus (3), a lovely species bearing | ļ | orange 1 | 2 | 6 | 1 | 3 |
| beautifully shaped globular flowers of the | l | Danfordiæ (2), a charming species discovered by | | | | |
| richest deep golden-yellow and showy | | Mrs. Danford in the Anti-Taurus, having very | | | | |
| scarlet stigmata; the richest coloured form of | | small yellow flowers, often stippled brown 2 | 21 | 0 | 2 | 0 |
| C. aureus per 100, 32/6 4 6 | 0 5 | Fleischeri (3), a rare species from Eastern | | | | |
| chrysanthus Bullfinch (3), a beautiful seedling, | 1 | Smyrna and the west of the Cilician Taurus; | | | | |
| broad rounded petals feathered outside | | small white flowers with narrow pointed | | | | |
| crimson-purple on creamy yellow, in- | 1 6 | petals, outside shaded bronze at base, stig- | | | | |
| side pure white with orange throat 16 0 | 1 6 | mata vivid scarlet 1 | 6 | 0 | 1 | 6 |
| Blue Butterfly (4), a lovely new seedling, | | Imperati (4), inner petals violet, outer petals | | | | |
| outer petals violet-blue with heavy purple blotch and bronze-coloured base, | | fawn, more or less feathered lavender-violet | | | | |
| inner petals violet-blue shaded silvery | | to black, very beautiful and distinct, delicately | | | | |
| white, centre old-gold, anthers yellow, | | fragrant; found near Naples. Award of | | | | |
| stigmata scarlet. Award of Merit, R.H.S. 12 6 | 1 3 | Garden Merit, R.H.S per 100, 25/- | 3 | 6 | 0 | 4 |
| ,, Dorothy (3), a strong and vigorous seed- | 1 | Korolkowi (1), a handsome species from Western | | | | |
| ling of chrysanthus fusco-tinctus, | } | Turkestan, star-shaped flowers when widely | | | | |
| flowers canary-yellow, outer petals | | expanded, interior rich golden-yellow, exterior | | | | |
| shaded and stippled bronzy grey, anthers | | densely stippled bronzy grey on a yellow | _ | _ | _ | 0 |
| yellow, stigmata pale yellow 10 6 | 1 0 | | 5 | 6 | 0 | 6 |
| ,, Quaintness (3), flowers primrose, outer | | lævigatus Fontenayi (1), silvery lilac, outer petals | 1.0 | 0 | , | 0 |
| petals feathered light purple, centre | | heavily feathered violet, centre orange 1 | .0 | U | T | 6 |
| old gold, scarlet stigmata 8 6 | 0 9 | Sieberi (3), soft lavender-blue, with golden-yellow base and orange stigmata; a charming | | | | |
| ,, Siskin (3), a charming variety with | | species, found at high elevations on | | | | |
| pointed petals, outer petals pale canary- yellow, lightly feathered greyish purple, | | mountains of Greece, Crete, &c., very | | | | |
| inner petals snowy white, golden | | showy. Award of Garden Merit, | | | | |
| throat and showy scarlet stigmata 16 0 | 1 6 | • | 3 | 0 | 0 | 4. |
| " Snow Bunting (1), outer petals cream | 1 0 | ,, H. McD. Edelsten (4), a beautiful seedling | | | Ŭ | |
| feathered indigo and with bronze base, | | variety, interior of flowers soft rose- | | | | |
| inner petals creamy white with old-gold | | lilac, outer petals conspicuously | | | | |
| centre, anthers yellow, stigmata scarlet 12 6 | 1 3 | blotched white on a rich purple ground | _ | | 5 | 6 |
| CDOCHE FADLY SDOING | FLOW | EDING SPECIES AND VADIETIES | | | | |

CROCUS.—EARLY SPRING-FLOWERING SPECIES AND VARIETIES.

These are all very beautiful, lighting up the garden early in the year with bright and varied colours. Very effective early in March massed in grass or in the rock garden. All the Crocuses offered below are quite distinct from the large spring-flowering Dutch Crocuses (varieties of *C. vernus*), being dwarfer, with more refined flowers and mostly earlier blooming. *Plant from August to October*. We have indicated the relative times of flowering by a bracket number after each variety, thus those marked (1) are the first in this

| section to bloom, and those marked (5) the latest. | | • | | | · / |
|--|------|-------|-----|------|---|
| 3 each of 12 Early Spring- | flow | ering | Cre | ocus | (our selection) 14,6. |
| | | doz. | | | Per doz. Each |
| biflorus Adami (1), a charming variety from the | S. | d. | 5. | d. | Susianus (Cloth of Gold Crocus) (3), rich golden- s. d. s. d. |
| Cicilian Taurus. Flowers vary from pale | | | | | yellow, striped glossy brown on exterior of |
| silvery lilac to dark violet, all having a | | | | | petals; a lovely little species for edgings and |
| yellow base and three feathered lines on | | | | | the rock garden per 100, 10/6 1 6 0 2 |
| outer segments | 12 | 6 | 1 | 3 | Tomasinianus (3), lovely sapphire-lavender; one |
| ,, argenteus (syn. præcox) (3), a beautiful | | | | | of the best to naturalize in grass, remaining |
| variety of the Scotch Crocus, outer | | | | | long in beauty; native of Dalmatia and |
| petals feathered deep purple on a cream | | | | | Serbia. Award of Garden Merit, R.H.S. |
| ground, inner petals silvery lavender, | | | | | per 100, 9/6 1 4 0 2 |
| very pretty per 100, 25/- | 3 | 6 | 0 | 4 | ,, Barr's Purple (2), a large handsome form, |
| ,, Barrii (3), a lovely little well-marked | | | | | exterior pale silvery-lilac, interior rich |
| form, flowers white, striped lilac, very | | | | | glossy purple-lilac with vellow anthers |
| free-flowering; a gem for rock garden | 7 | 6 | 0 | 8 | and orange stigmata, very showy and |
| ,, Weldeni albus (3), flowers pure white, | | | | | earlier than Tomasinianus, strongly |
| sometimes slightly stained blue at base, | | | | | recommended per 100, 42 - 5 6 0 6 |
| very beautiful | 16 | 0 | 1 | 6 | ,, var. pictus (3), a very pretty and strong |
| ,, Weldeni sulphur variety (3), flowers | | | | | growing form, lavender with a purple |
| delicate sulphur-yellow, faintly stippled | | | | | blotch at apex of flower per 100, 21 - 3 0 0 4 |
| slaty bronze and shading to slaty bronze | | | | | vernus L'Unique (5), pretty purplish mauve flowers, |
| at base, anthers yellow, stigmata | | | | | with silvery shading per 100, 15/- 2 3 0 3 |
| orange-scarlet | 12 | 6 | 1 | 3 | ,, siculus (5), a very small-flowered variety |
| minimus (3), a rare species from Corsica, flowers | | | | | from Montenegro, charming in the |
| dark lavender, outer petals buff, prettily | | | | | Alpine garden, pure white star-shaped |
| feathered dark purple. Award of Merit, R.H.S. | 5 | 6 | 0 | 6 | flowers 8 6 0 9 |
| New Species (distributed as C. Heufellianus) (4), | | | | | ,, Stormcloud (3), a charming hybrid be- |
| producing pretty little flowers of a rich rosy | | | | | tween Crocus vernus and Crocus |
| lilac shade with golden centre, anthers | | | | | Tomasinianus, having globular broad- |
| yellow, stigmata orange. The outer petals are | | | | | petalled flowers of a delicate silvery |
| slightly feathered violet with bronze at base | 5 | 6 | 0 | 6 | lavender, the top of the petals having a |
| Pestalozzæ var. cœrulea (3), a charming species | | | | | striking and extensive deep purple- |
| from Asia Minor, inner segments pale laven- | | | | | violet blotch 4 6 0 5 |
| der, outer segments pale purplish lavender with | | | | | versicolor picturatus (best form of Cloth of |
| slightly darker feathering, and golden centre, | | | | | Silver Crocus) (3), white, feathered ruby- |
| stigmata orange, anthers yellow per 100, 42/- | 5 | 6 | 0 | 6 | purple, very pretty and effective. per 100 10/6 1 6 0 2 |
| Mirad Winter and Chains Flowering Oncess Cu- | | - 1- | | | a naturalizing in gross Shrubbery Borders Pock Gardens &c . the |

Mixed Winter and Spring-Flowering Crocus Species, charming for naturalizing in grass, Shrubbery Borders, Rock Gardens, &c.; the flowers are all smaller than the ordinary Crocuses, but they are earlier and more refined. Per $1,000,\,95/$ -; per $100,\,10/6$; per doz., 1/6.

COLCHICUMS,

Autumn-Flowering Meadow Saffrons.

The great Crocus-like flowers of the Colchicum carpet the ground in September and October with colours ranging from pure white to ruby-crimson, more or less chequered or tesselated. In flower borders or naturalized in grass Colchicums produce a charming effect; they prefer a good loamy soil, and should be planted with top of bulb 1 inch deep. The foliage does not appear until Spring, and is very varied. If planted in August and early September, the bulbs bloom almost immediately, but are at their best when established. They should not be planted in grasslands used for grazing. The relative times of flowering are indicated (1), (2) and (3).

| | BARR & Sons' Selections:—6 each of 8 varieties, 27/6; 3 each of 8 varieties, 14/ | | doz. | | _ |
|-----------|--|----|------|------|----------|
| Colchicum | autumnale roseum (this variety is identical with byzantinus, offered below). | ٥. | u. | s. c | ۶. |
| ,, | ,, album (3), flowers glistening pure white, very effective when seen in masses per 100, 30/- | 4 | 0 | 0 | 5 |
| ,, | ,, plenum (3), producing large and very double snowy white flowers, beautiful and rare | 42 | 0 | 3 | 6 |
| ,, | ,, atro-purpureum, a very charming variety, bearing medium-sized flowers of a rich wine-red colour | | 0 | 1 | |
| •• | ,, plenum (2), flowers rosy lilac, large and very double, showy per 100, 35/- | | 0 | 0 | 6 |
| " | Bornmulleri (1), a handsome giant-flowered species of a lovely rose shade, resembling C. GIGANTEUM, but hav- | | | | |
| | ing a larger white centre | | 6 | 0 | 7 |
| " | byzantinum (2), soft rose-coloured flowers, perfect in form and produced in great profusion, strong grower, | | c | 0 | F |
| | very beautiful | U | 6 | 0 | 4 |
| " | panded flowers of a beautiful soft rose shade, with large white centre, remarkably handsome per 100, 75/- | 10 | 6 | 1 | 0 |
| | speciosum (1), large handsome flowers, varying in colour from light to bright rosy carmine, petals of great | | U | 1 | U |
| ,, | substance | | 6 | 0 | 6 |
| ,, | ,, album (2), a grand variety, with very large snowy white flowers of perfect form, remarkably hand- | | | | V |
| ,, | some, First-Class Certificate, R.H.S | | 6 | 1 | 9 |
| ,, | ,, Danton (2), very large well-formed, lightly chequered flowers of a rich glowing ruby-carmine with | | | | |
| • • | large pure white centre, very striking and handsome | 30 | 0 | 2 | 9 |
| ,, | ,, var. illyricum (2), a beautiful variety collected near Salonika, bearing an abundance of large soft | | | | |
| | rosy carmine flowers with white centre and golden anthers, very free-flowering. | | | | |
| | Award of Merit, R.H.S per 100, 48/- | 6 | 6 | 0 | 7 |
| ,, | ,, Lilac Wonder (3), a fine new very large-flowered Colchicum with very rich rosy carmine flowers, | | 0 | | 0 |
| | a very striking variety of great merit | 18 | 6 | 1 | 9 |
| ** | ,, Ruby Queen (3), one of the richest coloured Colchicums, flowers of a glowing deep wine or almost ruby colour with white centre, very handsome | | C | 1 | 2 |
| | mixed varieties for naturalizing in wild gardens, woodlands, &c per 100, 25/- | | 6 | 1 | o |
| ,, | | J | U | | |
| | COLCHICUM, Small-flowered Species. | | | | |
| Colchicum | alpinum, dainty little flowers of a uniform rosy lilac, flowering early in August, only growing 3 inches high | 16 | 0 | 1 | 6 |
| | | | | | |

HARDY CYCLAMEN.

These Hardy Cyclamen require perfect drainage and shelter from ground winds and the early morning sun; at the bottom of old walls facing north, in the rock garden, or nestling in the grass, near the roots and under the shelter of old trees, they produce a most charming effect; they are also good subjects for Fern plantations, where they obtain the shade they like. In making up a suitable soil, add a liberal proportion of old mortar rubble with some well-decayed leaf soil and good fibrous loam. The Hardy Cyclamen prefer shallow planting, 1 to 1½ in. deep, measuring from top of corm; they should all be given a good mulching of well-decayed leaf soil after planting, and if the

| I to $1\frac{1}{2}$ in, deep, measuring from top of corm; they should all be given a good mulching of well-decayed leaf soil after plat situation is exposed, a light covering of dry leaves or litter in winter is beneficial. These Hardy Cyclamen can be supplied | | | | | | | | | |
|---|----------------------------------|----------------------------|----------------------------|------------------|--|--|--|--|--|
| of the year. Autumn-flowering Hardy Cyclamen. | Por | doz. | Fac | . Is | | | | | |
| Africanum (syn. macrophyllum), flowers blush with purplish centre, heart shaped leaves of enormous size with silvery grey zone, very handsome; plant in a warm sunny situation and give slight protection in cold districts | s. 10 | d. | s. 6 | d. | | | | | |
| cilicicum, a pretty species of neat compact habit, flowers light pink with carmine eye, small round deep green silvery-zoned leaves coloured purple on underside | | | | | | | | | |
| should be largely used as a ground-work to Scillas, Chionodoxas, Leucojums, dwarf Narcissi, Snowdrops, Muscaris, &c., its beautiful Winter foliage contrasting charmingly with these little early Spring flowers, per 100, 42/-, aibum, producing dainty pure white flowers, followed by beautiful silver-marbled foliage | 5 | | 0 | | | | | | |
| Winter and Spring-flowering Hardy Cyclamen. | | | | | | | | | |
| coum, flowers pretty deep rose in early Spring, differing from C. ibericum in having green instead of silver-zoned foliage, album, flowers white with purple eye | 21 21 18 21 18 21 | 0 0 0 6 0 6 | 2 2 2 1 2 1 | 0 0 9 0 | | | | | |
| repandum (syn. vernum), bright crimson flowers produced during April and May, with handsome silver-marbled foliage; the last of the Hardy Cyclamen to bloom | 7 | 6 | 0 | 8 | | | | | |
| AUTUMN-FLOWERING LEUCOJUMS (Snowflakes). Leucojum autumnale (Acis), white and pink flowers in Autumn, graceful in pots and in the rock garden, etc., ht. 4 in.; grow in almost pure sand in shade; quite hardy | 3 7 | 9 | 0 | | | | | | |
| Scilla autumnalis, producing dainty spikes of purple-blue flowers in Autumn, ht. 6 in | 5 5 | 6 6 | 0 | | | | | | |
| STERNBERGIA lutea (The Autumn-flowering Lilv of the Field). | | | | | | | | | |

An effective Autumn-flowering bulbous plant producing handsome crocus-like flowers of a rich golden-yellow. It likes a warm, well-drained situation on banks or borders facing South, where it should be left undisturbed for years. The bulbs should be planted about 4 inches deep, and a covering of dry litter be given in Winter; after the sun-baking they receive in a hot summer they usually flower pro-... per 100, 17/6; per doz. 2/6 •••

VALLOTA PURPIREA (The Scarborough Lily).

A valuable Autumn-flowering plant for the cool greenhouse or sitting-room, producing on stout stems umbels of large brilliant scarlet flowers which open in succession, thus remaining decorative a long time. The bulbs should be potted up in a compost of good loam, leaf-mould and sand, the pots being well crocked. Water sparingly until growth commences. Strong Bulbs, per doz., 18 6; each, 1 9

BULBS FOR EARLY FORCING.

The Hyacinths offered below are generally ready for despatch by the middle of August; Polyanthus Narcissi and Freesias third to fourth week in August; Lachenalias and Extra Early Tulips about the middle of August.

EARLY WHITE ROMAN HYACINTHS.

Finest French-grown Bulbs.

These charming little Hyacinths are of great value for early forcing, and may be had in bloom during November, December and January by successional plantings. Several bulbs in a pot make a charming Winter decoration for the greenhouse or sitting-room, while they may be successfully grown in bowls of our Peat-Fibre, Shell and Charcoal Mixture (5/6 per bushel; 1/6 per peck), or Pebbles and Water.

| White F | Roman I | Hyacinth, | Strong | Flowering | Bulbs | | | | ••• | ••• | ••• | | • • • | per 100 | 32/6; p | er doz. | 4/6 |
|---------|---------|-----------|---------|-------------|-------------|-----|---------|--------|-----|--------|-----|-----|-----------|---------|---------|---------|-----|
| ,, | ,, | | | Selected Bu | | | | | | | | | | | | | |
| ,, | ,, | ,, | Extra . | Large Bulb. | s, producin | gag | greater | number | of | spikes | | ••• | | ,, | 55/-; | ,, | 7/6 |

EXTRA EARLY CHRISTMAS-FORCING HYACINTHS.

We can confidently recommend these three Hyacinths for maintaining a succession of bloom indoors succeeding in time of flowering Barr's Early Pink, spikes of charming soft pink flowers, delightfully scented per 100, 42/-; per doz. 5/6 Barr's Early White, spikes of pure white flowers, a fine companion to Barr's Early Pink ,, 42/-; ,, 5/6 Barr's Early Pink, spikes of charming soft pink flowers, delightfully scented ... Barr's Early Blue, spikes of charming pale porcelain-blue flowers, a good companion to the above varieties 42/-;

ARGE-FLOWERED PREPARED HYACINTHS FOR EARLY FORCING.

These Hyacinths are harvested specially early, and so prepared as to be capable of being quite easily forced into bloom by January. The bulbs should be potted up as soon as received, plunged in a cold airy frame, and removed indoors to gentle heat about the middle of November (not earlier). They may also be grown in bowls in our Peat-Fibre Mixture.

Strong Selected Bulbs

Extra Strong Selected Bulbs

| | | | | Stron | g Sele | cteu Du | Extra Strong Selected Dulb | | | | | | |
|-------------------------------------|-------|-------|-------|----------|--------|---------|----------------------------|----------|-------|-------------|-----|--|--|
| Coral Queen, beautiful coral-rose | | | | per 100, | 40/-; | per doz | z. 5/6 | per 100, | 55/-; | per doz. | 7/6 | | |
| Dr. Lieber, deep lavender-blue | ••• | | | ,, | 40/-; | ,, | 5/6 | ,,, | 55/-; | ,, | 7/6 | | |
| Gertrude, bright rose-pink | | ••• | | ,, | 40/-; | ,, | 5/6 | ,, | 55/-; | ,, | 7/6 | | |
| Lady Derby, lovely soft flesh-pink, | | | | ,, | 40/-; | ,, | 5/6 | ,, | 55/-; | ,, - | 7/6 | | |
| La Victoire, brilliant rose-crimson | • • • | ••• | | ,, | 40/-; | ,, | 5/6 | ,, | 55/-; | ,, | 7/6 | | |
| L'Innocence, pure white | • • • | • • • | • • • | ,, | 40/-; | ,, | 5/6 | ,, | 55/-; | ,, | 7/6 | | |
| Marie, dark violet-blue | • • • | ••• | | , , | 40/-; | ,, | 5/6 | ,, | 55/-; | ,, | 7/6 | | |
| Schotel, light blue | | ••• | | ,, | 40/-; | ,, | 5/6 | ,, | 55/-; | ,, | 7/6 | | |
| Yellow Hammer, delicate yellow | • • • | • • • | • • • | 11 | 40/-; | 9.9 | 5/6 | ,, | 55/-; | ,, | 7/6 | | |

PREPARED CYNTHELLA OR MINIATURE HYACINTHS FOR EARLY FORCING.

Pure White, Bright Rose, Crimson, Light Blue, Deep Lavender-Blue, Delicate Yellow ... each colour, per 100, 25/-; per doz. 3/6

POLYANTHUS NARCISSUS FOR EARLY FORCING.

Paper White Snowflake Improved, producing trusses of beautiful snow-white fragrant flowers, and may be had in bloom with the Roman Hyacinth if treated in the same way Strong Selected Bulbs per 100, 18/6; per doz. 2/8 Grand Soleil d'Or, Fine Selected Stock, bearing clusters of very bright showy flowers, perianth golden, cup deep brilliant orange; especially recommended for forcing in pots and boxes, and can easily be brought into bloom by January ... per 100, 18/6; per doz. 2/8

SWEET-SCENTED FREESIAS.

Leichtlini major, an old favourite bearing creamy white flowers with orange blotch

Refracta, flowers white with soft yellow blotch, robust grower and free bloomer.

"Extra strong corms" per 100, 15/-; per doz. 2/3

per 100, 12/6; per doz. 1/9

LACHENALIAS (Cape Cowslips).

Very beautiful greenhouse plants flowering in early Spring. Pot ½ to 1 inch deep in August-September in a compost of loam, sweet leaf soil, sand and well-decayed cow manure; place the pots in an airy greenhouse or cold frame and give plenty of air but very little water until the bulbs have made foliage. In early November, before cold weather sets in, remove the pots to the greenhouse where the temperature does not fall below 40° at night, nor exceed 55° by day.

| 3 each of 6 Beautiful Varieties (our selection) 17/6 | per doz. each |
|--|----------------------|
| Nelsoni, large rich golden-yellow bells and reddish stem, very free-flowering, early | |
| Whitewell Hybrids Mixed, a very fine vigorous growing strain, embracing all shades of yellow and | orange with coloured |
| | 10/6 1/- |

BARR'S EXTRA EARLY TULIPS. For Early Forcing.

These tulips are specially prepared for early forcing; those marked * may be forced into bloom by Christmas or shortly after.

To obtain early flowers the bulbs should be potted or planted in boxes and plunged out-doors or in a cold frame. Those varieties marked * should be brought into warmth about the second week in December; those marked † about the end of the third week in December, and those marked § early in January, when the temperature should be maintained at 65° to commence with being gradually raised to 75°: These Extra Early Tulips generally flower within a fortnight from the time they are brought into warmth.

| Extra Early Single Tulips. | 100 | doz. | Extra Early Double Tulips. | | doz. |
|--|------|------|--|------|------|
| | | | *Couronne d'Or, flowers yellow flushed orange | 25/- | 3/6 |
| †De Wet, fiery orange stippled orange-scarlet | 25/- | 3, 6 | †Murillo, delicate rose flushed white, beautiful | 25/- | 3/6 |
| *Fred Moore, terra-cotta with golden-buff tinge | 25/- | 3/6 | Extra Early Darwin Tulips. | | |
| †Prince of Austria, brick-red shading to buff-orange | 25/- | 3/6 | §Princess Elizabeth, rich soft rose-coloured flowers | 25/- | 3/6 |
| *Rose Grisdelin, a most beautiful full rose colour | 25/- | 3/6 | †William Copland, a lovely soft lavender colour | 25/- | 3/6 |
| *Vermilion Brilliant, rich dazzling scarlet | 25/- | 3/6 | §William Pitt, fine deep strawberry-red flowers | 25/- | 3/6 |

BARR & SONS, 11, 12 & 13 King St., Covent Garden, London, W.C.2,